

Message Text

UNCLASSIFIED

PAGE 01 BRIDGE 00915 282234 Z

61

ACTION PM-07

INFO OCT-01 ARA-11 ADP-00 AID-20 L-03 IGA-02 CIAE-00

INR-10 NSAE-00 RSC-01 MC-02 DODE-00 OMB-01 TRSE-00

SS-15 NSC-10 RSR-01 /084 W
----- 079215

R 281953 Z JUN 73

FM AMEMBASSY BRIDGETOWN

TO SECSTATE WASHDC 5885

INFO AMEMBASSY KINGSTON

UNCLAS BRIDGETOWN 0915

E. O. 11652: N/A

TAGS: MASS VC

SUBJ: REQUEST FOR SURPLUS HOSPITAL EQUIPMENT

REF: STATE 11965 AND BRIDGETOWN 0889

PREMIER COMPTON OF ST. LUCIA TELEPHONED AMBASSADOR CONCERNING
AVAILABILITY OF SURPLUS HOSPITAL EQUIPMENT AS FIELD HOSPITALS
IN VIETNAM BEING DISMANTLED. HE STATED THAT IT WAS HIS UNDER-
STANDING THAT JAMAICA HAD PURCHASED TWO THREE HUNDRED BED UNITS.
SITUATION AS OUTLINED STATE 11965 IN REPLY TO SIMILAR REQUEST
FROM PREMIER MITCHELL OF ST. VINCENT, EXPLAINED TO HIM, AS WELL
AS MITCHELL'S RESPONSE. COMPTON SAID HE UNDERSTOOD BUT WISHED
TO KNOW WHAT TERMS OF PURCHASE BY GOJ WERE, IN CASE GOSL WOULD
BE ABLE MAKE SIMILAR ARRANGEMENTS.
DONOVAN

UNCLASSIFIED

NNNNMAFVVZCZ

*** Current Handling Restrictions *** n/a

*** Current Classification *** UNCLASSIFIED

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 JAN 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 28 JUN 1973
Decaption Date: 01 JAN 1960
Decaption Note:
Disposition Action: n/a
Disposition Approved on Date:
Disposition Authority: n/a
Disposition Case Number: n/a
Disposition Comment:
Disposition Date: 01 JAN 1960
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1973BRIDGE00915
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: n/a
Errors: n/a
Film Number: n/a
From: BRIDGETOWN
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1973/newtext/t19730630/aaaajqcd.tel
Line Count: 50
Locator: TEXT ON-LINE
Office: ACTION PM
Original Classification: UNCLASSIFIED
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 1
Previous Channel Indicators:
Previous Classification: n/a
Previous Handling Restrictions: n/a
Reference: 73 STATE 11965, 73 BRIDGETOWN 889
Review Action: RELEASED, APPROVED
Review Authority: hilburpw
Review Comment: n/a
Review Content Flags:
Review Date: 16 OCT 2001
Review Event:
Review Exemptions: n/a
Review History: RELEASED <16-Oct-2001 by phillir0>; APPROVED <19 FEB 2002 by hilburpw>
Review Markings:

Declassified/Released
US Department of State
EO Systematic Review
30 JUN 2005

Review Media Identifier:
Review Referrals: n/a
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
Secure: OPEN
Status: <DBA CORRECTED> jms 980227
Subject: REQUEST FOR SURPLUS HOSPITAL EQUIPMENT
TAGS: MASS, VC
To: PM
Type: TE
Markings: Declassified/Released US Department of State EO Systematic Review 30 JUN 2005